

Material Safety Data Sheet MPPL

Last updated: March 2009

1. Product and Company Identification

Product Trade Name CAS Number Generic Chemical Name Product Type Transportation Emergency MSDS No. MSDS Website

MPPL Not applicable for mixtures Aerosol Multi-Purpose Lube - Penetrant CHEMTREC 1-800-424-9300 (Outside USA 703-527-3887) 73920 www.maximausa.com

2. Composition/Information on Ingredients

Common Name	Chemical Name	CAS No.	Range (%)
Liquefied Petroleum Gas		68476-86-8	15-25
Distillates, hydrotreated heavy	paraffinic	64742-54-7	20-30
Distillates, hydrotreated light		64742-47-8	20-30
Kerosene		64742-81-0	10-20

3. Hazards Identification

EMERGENCY OVERVIEW

Warning: Flammable. Contents under pressure. Container may burst if heated. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 120°F. Do not use in presence of open flame or spark or other sources of ignition. KEEP OUT OF REACH OF CHILDREN. Avoid getting into eyes. Use only as directed. *Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.*

POTENTIAL HEALTH EFFECTS

Eye
SkinContact may cause mild eye irritation including stinging, watering and redness.
Contact with skin is not expected to cause irritation.Ingestion
InhalationNo harmful or chronic effects are expected to occur from a single accidental ingestion.
Contains asphyxiant gases. Intentional inhalation of gases may cause headache, fatigue,
weakness, mental confusion, mood disturbances and decreased coordination and judgment.
Severe overexposure may produce more serious symptoms, including coma and death.

NFPA Hazard ID:	Health: 1	Fire: 2	Reactivity: 0
HMIS Hazard ID:	Health: 1	Fire: 2	Reactivity: 0

Chemical Listed as Potential Carcinogens

1	NTP:	No	IARC:	No	OSHA: No

4.	First Aid Measures
Eye	Flush or rinse eye with water while holding eyelid open. Remove contact lenses, if worn. If irritation or redness persists, seek medical attention.
Skin	No specific first aid measures are required because this material is not expected to be harmful if it contacts the skin. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.

MAXIMA RACING OILS 9266 Abraham Way Santee, CA 92071 USA

Tel: 619.449.5000 M-TH 6am - 5pm PST



Material Safety Data Sheet MPPL

Last updated: March 2009

Ingestion		e vomiting. As a precaution, give the person a glass of water or milk to drink	
Inhalation	and get medical advice. Never give anything by mouth to an unconscious person. No specific first aid measures are required because this material is not expected to be harmful if inhaled. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.		
5. Fire Fi			
5. File Fi	ighting Measure	25	
FIRE CLASSIF	FICATION:	Flammable pursuant to CFR 16, Ch II Subchapter C, part 1500.45	
AEROSOL LE	VEL:	Aerosol Level 3 (REF: to NFPA 30B, Section 1-7 of August 6, 1998.) Code for the Manufacture and Storage of Aerosol Products.	
UNUSUAL FIR		IN PROPERTIES:	
		Aerosols may burst at temperatures above 120°F. Contents under pressure. Cool uninvolved containers to prevent possible bursting. Floors may be slippery where materials are released.	
EXTINGUISHI	NG MEDIA	Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.	
PROTECTION Fire Fighting I	OF FIRE FIGH	TERS: Containers exposed to intense heat from fires must be cooled with water and removed from danger if it can be done with minimal risk. Aerosols can be projectiles when bursting. If aerosols are bursting, stay clear until bursting is complete.	
Combustion F	Products	Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion.	
6. Accide	ental Release N	leasures	
Protective Me Spill Managen		Eliminate all sources of ignition in vicinity of spilled material. Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.	
Reporting		Report spills to local authorities and/or the U.S. Coast Guard's National Response Center at (800) 424-8802 as appropriate or required.	

7. Handling and Storage

Handling Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if likelihood

MAXIMA RACING OILS 9266 Abraham Way Santee, CA 92071 USA Tel: 619.449.5000 M-TH 6am – 5pm PST

1		A Division of
	RACING OILS	South West Lubricants, Inc.

Material Safety Data Sheet MPPL

Last updated: March 2009

of eye contact. Wash unintentional residue with soap and water. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.

Storage Store aerosol containers in cool, dry, well-ventilated areas away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from any incompatible material (see section 10.) Protect container(s) against physical damage. To avoid unintentional spraying keep protective cap in place when not in use.

8. Exposure (Controls/Persor	nal Protection		
Exposure Limits		ACGIH TLV <i>TWA STEL</i>	OSHA PEL <i>TWA STEL</i>	UNITS
Liquefied Pe	etroleum Gas	1000	1000	ppm
Ventilation	Use in areas	s of adequate ventilation.		
Gloves	Use nitrile o	r neoprene gloves.		
Eye Protection	Safety glass	es, goggles or face shield	are recommended.	
Respiratory	cartridge is r		or with organic vapor cartridge limit is exceeded. Self-conta ed space entry.	
Clothing	•	shirt and apron when potes when necessary to avoid	ential for skin contact. Wear i contaminating shoes.	neoprene or nitrile
	d Chamiaal Dra	montio o		

9. Physical and Chemical Properties

Appearance and Odor pH Vapor Pressure Vapor Density (Air = 1) Boiling Point Solubility Freezing Point Melting Point Specific Gravity Volatile Organic	Liquid, Water white color, Slight petroleum odor NA 70 psig @ 70°F >1 ND Soluble in hydrocarbons; insoluble in water NA NA 0.81 @ 15.6 °C / 15.6 °C
Volatile Organic Compounds (VOC) Viscosity (40 °C)	<25% ND

10. Stability and Reactivity Data

Chemical Stability This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. Avoid temperatures over 120°F, open flames and sparks.

MAXIMA RACING OILS 9266 Abraham Way Santee, CA 92071 USA Tel: 619.449.5000 M-TH 6am – 5pm PST

A Division of	Material Safety Data Sheet
South West Lubricants, Inc.	MPPL

Last updated: March 2009

Incompatibility With Other Materials	May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
Hazardous Decomposition Products	Combustion may produce carbon monoxide, carbon dioxide and other unidentified organic compounds.
Hazardous Polymerization	Hazardous polymerization will not occur.
11. Toxicological Information	

No definitive information found on carcinogenicity, mutagenicity, target organs or developmental toxicity.

Skin Irritation	Prolonged or repeated contact may result in defatting and drying of skin.
Eye Irritation	Expected to cause mild irritation to eyes.
Respiratory Irritation	Not expected to be a respiratory irritant. Chronic exposure may produce more severe side effects, such as dizziness and fatigue.
Sensitisation	Not expected to be a skin sensitizer.
Mutagenicity	No evidence of mutagenic activity.

ADDITIONAL TOXICOLOGY INFORMATION

This product contains petroleum and/or synthetic ester base oils which may be refined by various processes including severe solvent extraction, severe hydrocracking, severe hydrotreating or chemical reaction. None of the oils requires a cancer warning under the OSHA Hazard Communication Standard (29 CFR 1910.1200). These oils have not been listed in the National Toxicology Program (NTP) Annual Report nor have they been classified by the International Agency for Research on Cancer (IARC) as; carcinogenic to humans (Group 1), probably carcinogenic to humans (Group 2A), or possibly carcinogenic to humans (Group 2B).

12. Ecological Information

This material is expected to have marginally adverse affects on marine and plant life. Spills may contaminate drinking water. This material is expected to be inherently biodegradable.

13. Disposal Considerations

Disposal Oil collection services are available for used oil recycling or disposal. Place contaminated materials in containers and dispose of in a manner consistent with applicable regulations. Consult federal, state and local regulations regarding disposal methods. Do not contaminate oil with solvents or other chemicals.



Material Safety Data Sheet MPPL

Last updated: March 2009

14. Transport Information

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements (e.g., technical name) and mode-specific or quantity-specific shipping requirements.

DOT (Ground)

Shipping Name Consumer Com Hazard Class ORM-D	nmodity
--	---------

IMDG (Overseas)Shipping NameAerosolsClass9UN No.1950

IATA (Air)

	Shipping Name	Consumer Commodity
	Class	9
	ID No.	ID8000
	Label	Miscellaneous Dangerous Goods Class 9
	Packaging Instructions	910

15. Regulatory Information

Toxic Chemicals List under SARA Section 313 of the Title III and 40 CFR Part 372 None

Chemicals under California Proposition 65 None

Flammability Classification 16 CFR, Ch II Subch. C, Part 1500.45 Flammable

Code of Manufacture and Storage of Aerosol Products NFPA 30B Aerosol Level 3

16. Other Information

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.