

# SAFETY DATA SHEET

# 1. Identification

Product identifier	Big Twin Transmission Oil	
Product Code	96900	
SDS number	6973	
Other means of identification	Not available.	
Recommended use	GL-5 Gear Oil	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
	Bel-Ray Company, LLC	
	P.O. Box 526	

Bel-Ray Company, LLC P.O. Box 526 Farmingdale, NJ 07727 United States of America +1 732 938 2421 CHEMTREC: 800-424-9300 (USA) CHEMTREC: +1 703-527-3887 (outside USA - call collect)

### 2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

#### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Residual Oils (petroleum),		64742-01-4	0 - 100
Solvent-refined			

Other components below reportable levels

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

InhalationMove to fresh air. Call a physician if symptoms develop or persist.Skin contactWash off with soap and water. Get medical attention if irritation develops and persists.

5 - < 10

Eye contact Ingestion	Rinse with water. Get medical attention if irritation develops and persists. Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give liquid to an unconscious person.
Most important symptoms/effects, acute and delayed	Irritation of eyes and mucous membranes. Skin irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
5. Fire-fighting measure	S

Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7 Houdling and stores	

# 7. Handling and storage

Precautions for safe handling	Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

# Occupational exposure limits

Components	s for Air Contaminants (29 CFR 1910.1000) Type	Value	Form
Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)	PEL	5 mg/m3	Mist.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Residual Oils (petroleum),	STEL	10 mg/m3	Mist.
Solvent-refined (CAS 64742-01-4)			
Solvent-refined (CAS	TWA	5 mg/m3	Mist.

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures	s, such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection Hand protection	Wear appropriate chemical resistant gloves.
•	
Other	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

<b>,</b>	F F
Appearance	Oily. Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Red.
Odor	Petroleum
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	649.4 °F (343 °C)
Flash point	449.6 °F (232.0 °C) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Density	905.00 kg/m <sup>3</sup>
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Negligible
Solubility (other)	Oil
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Flammability class	Combustible IIIB estimated
Flash point class	Combustible IIIB

Kinematic viscosity	418 cSt ASTM D445
Kinematic viscosity temperature	104 °F (40 °C)
Specific gravity	0.91
VOC	< 1 %

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	At thermal decomposition temperatures, carbon monoxide and carbon dioxide. No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes and mucous membranes. Skin irritation.

#### Information on toxicological effects

Acute toxicity	Respiratory tract irritation.	
Product	Species	Test Results
Big Twin Transmission Oil		
Acute		
Dermal		
LD50	Rabbit	2094 mg/kg estimated
Oral		
LD50	Rat	2094 mg/kg estimated
* Estimates for product may I	be based on additional component data not shown.	
Skin corrosion/irritation	Based on available data, the classification criteria an	e not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria ar	e not met.
Respiratory or skin sensitizati	on	
<b>Respiratory sensitization</b>	Based on available data, the classification criteria ar	e not met.
Skin sensitization	Based on available data, the classification criteria ar	e not met.
Germ cell mutagenicity	Based on available data, the classification criteria ar	e not met.
Carcinogenicity	Based on available data, the classification criteria ar	re not met.
Reproductive toxicity	Based on available data, the classification criteria ar	re not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria ar	e not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria ar	e not met.
Aspiration hazard	Not an aspiration hazard.	

# 12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

US federal regulations	All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazarc Communication Standard, 29 CFR 1910.1200.
Superfund Amendments and Reauthorization Act of 1986 (SARA)	

### Hazard categories Immediate Hazard - No Delayed Hazard - No

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312	No
Hazardous chemical	

#### SARA 313 (TRI reporting) Not regulated.

# Other federal regulations

Clean Water Act (CWA)Hazardous substanceSection 112(r) (40 CFR68.130)Safe Drinking Water ActNot regulated.(SDWA)(SDWA)

#### **US** state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)

US. Massachusetts RTK - Substance List

Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)

US. New Jersey Worker and Community Right-to-Know Act Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Residual Oils (petroleum), Solvent-refined (CAS 64742-01-4)

#### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	03-08-2016
Revision date	05-28-2016
Version #	2.0
Disclaimer	Bel-Ray Company, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.